

Article information

DOI: 10.63475/yjm.v4i2.0141

Article history:

Received: 10 June 2025

Accepted: 20 June 2025

Published: 22 September 2025

Correspondence to:

Mostafa Essam Eissa

Email: mostafaessamahmedeissa@yahoo.com

ORCID: [0000-0003-3562-5935](https://orcid.org/0000-0003-3562-5935)

How to cite this article

Eissa ME. Mastering the art of efficient literature reviews: a practical guide for medical professionals and students. *Yemen J Med.* 2025;4(2): 252-265

Copyright License: © 2025 authors.

This scholarly article is disseminated in accordance with the provisions of the Creative Commons Attribution License, thereby permitting unrestricted utilization, distribution, or reproduction across any medium, provided that credit is given to the authors and the journal

Review Article

Mastering the Art of Efficient Literature Reviews: A Practical Guide for Medical Professionals and Students

Mostafa Essam Eissa¹

1 MSc (Pharmaceutical Sciences), Pharmaceutical Scientist | Certified Six Sigma Green Belt, Independent Researcher and Freelance Consultant, Former Inspector in CAPA

ABSTRACT

The exponential growth of biomedical literature presents both an unprecedented opportunity and a significant challenge for medical professionals and students. Conducting a thorough yet efficient literature review is a fundamental skill, essential for evidence-based practice (EBP), research, education, and scholarly writing. However, navigating this vast information landscape effectively remains a common hurdle. This review aims to provide a comprehensive, step-by-step guide to conducting efficient and rigorous literature reviews tailored to the needs of medical professionals and students. It focuses on practical strategies, critical appraisal techniques, synthesis methods, and leveraging technology to optimize the process while maintaining scientific integrity. A narrative review methodology was employed, synthesizing established principles and methods from evidence-based medicine, information science, and academic writing. Key sources include guidelines from major medical libraries, EBP resources, and authoritative texts on research methodology and critical appraisal. The review outlines a structured approach encompassing: defining a focused question using frameworks like Participants; Intervention/Exposure; Comparison; and Outcome (PICO/PECO); developing and executing a systematic search strategy across multiple databases; efficient screening and selection of relevant literature; critical appraisal of study quality and relevance; effective synthesis of findings (narrative, thematic, or tabular); clear and concise writing; and strategies for maintaining currency. Emphasis is placed on leveraging technology (reference managers, databases, and AI tools) cautiously and avoiding common pitfalls, such as scope creep and uncritical acceptance of findings. A life-long experience that the academic writer learns through life, and yet may fall into them easily. An efficient literature review is not merely about speed, but about systematic rigor, critical thinking, and strategic use of resources. By adopting the structured, technology-enhanced, and critically appraised approach outlined, medical professionals and students can navigate the literature effectively, saving valuable time while producing high-quality, evidence-informed outputs for clinical practice, research, and education.

Key words: PICO/PECO, PRISMA, evidence-based medicine, information retrieval, medical research, critical appraisal, information science, bibliographic databases, reference management, research methodology, medical education

INTRODUCTION: THE IMPERATIVE OF EFFICIENT SCHOLARSHIP

The practice of modern medicine is inextricably linked to the relentless generation of new knowledge. Over two million new biomedical articles are published annually, [1] creating an information landscape of staggering complexity and volume. For the busy clinician seeking the best evidence for patient care, the researcher designing a new study, the student crafting a thesis, or the educator updating curricula, the ability to efficiently find, evaluate, and synthesize relevant literature is not merely an academic exercise—it is a critical professional competency fundamental to evidence-based practice (EBP). [2]

A literature review serves as the cornerstone of scholarly activity in medicine. It provides the essential context for understanding a clinical problem, identifies the current state of knowledge (and gaps therein), justifies the need for new research, informs clinical guidelines, and underpins educational content. [3] Traditionally perceived as a time-consuming and potentially overwhelming task, a poorly executed review can lead to missed evidence, biased conclusions, wasted effort, and ultimately, suboptimal patient care or flawed research. [4] What truly distinguishes a groundbreaking review article from one that merely summarizes existing literature? Often, the answer lies in an author's ability to anticipate and circumvent the numerous stylistic and substantive traps that can derail even the most diligent efforts. This article will shed light on these critical considerations from the author's perspective, drawing on their experience with struggles in academic writing.

The challenge, therefore, is to move beyond simply "doing" a literature review towards mastering it—conducting reviews that are not only comprehensive and rigorous but also efficient. Efficiency here is defined as maximizing the yield of relevant, high-quality information while minimizing unnecessary time expenditure and cognitive load. This requires a strategic, systematic, and technology-savvy approach. This review aims to demystify the process and provide medical professionals and students with a practical, step-by-step guide to conducting efficient literature reviews. We will synthesize principles from evidence-based medicine, information science, and research methodology, focusing on actionable strategies to streamline each stage: from formulating a precise question to synthesizing findings and writing effectively. We emphasize the importance of critical appraisal throughout and discuss the judicious use of technology to enhance productivity without compromising rigor or integrity. The goal is to empower readers to navigate the medical literature with confidence and efficiency, transforming a daunting task into a manageable and rewarding scholarly endeavor.

LAYING THE FOUNDATION: DEFINING SCOPE AND CRAFTING THE QUESTION

The most critical step in an efficient literature review, paradoxically, occurs before any search is run: defining a clear, focused scope and formulating a precise research question. A poorly defined question leads directly to inefficient searching, irrelevant results, and wasted time. [5] Investing effort here pays substantial dividends later. Understanding the Review's Purpose: First, clarify why you are conducting the review. Is it to: Inform a specific clinical decision (e.g., "What is the best first-line treatment for condition X in patient group Y?"). Identify knowledge gaps for a research proposal (e.g., "What interventions have been studied for preventing complication Z?"). Write a background section for a thesis or paper (e.g., "What is known about the pathophysiology of disease A?"). Develop a clinical guideline or protocol. Complete a systematic review (which requires a predefined protocol [6]).

The purpose dictates the required depth, breadth, and methodology (systematic vs. narrative/scoping). Formulating a Focused Question: The PICO/PECO Framework: Transforming a broad topic into a precise, answerable question is paramount. The PICO framework (Population,

Intervention, Comparison, Outcome) is the gold standard in clinical medicine for intervention questions. [7] Nevertheless, Variations exist:

PICO: Ideal for therapy, diagnosis, harm, and prevention questions (e.g., "In adults with type 2 diabetes (P), does metformin (I) compared to sulfonylureas (C) reduce the risk of cardiovascular mortality (O)?").

PECO: Expands PICO to include Exposure, useful for etiology or risk factor questions (e.g., "In children (P), does exposure to secondhand smoke (E) compared to no exposure (C) increase the risk of asthma development (O)?").

PIO/PEO: Useful when there is no direct comparison group (e.g., "What is the prevalence (O) of depression (I) in elderly patients with chronic pain (P)?").

PICOS/S: Adds Study Design (S) or Setting (S) to further refine the scope, crucial for systematic reviews. [8]

Defining key elements: For each component (P, I, C, E, O), define specific, measurable characteristics. Thus, be explicit about:

Population: Age, gender, disease stage, comorbidities, setting (primary care, ICU).

Intervention/Exposure: Specific drug, dose, duration; diagnostic test; environmental factor.

Comparison: Placebo, standard care, active comparator, alternative test.

Outcomes: Primary and secondary outcomes; patient-important outcomes (mortality, quality of life) vs. surrogate markers; timeframes for measurement. Prioritize outcomes critical to your purpose.

Study design: Specify preferred designs (randomized controlled trials for therapy, cohort studies for prognosis, etc.) based on the question type and hierarchy of evidence. [9]

Avoiding scope creep: Define clear boundaries. What aspects are in scope and what are out? Setting temporal limits (e.g., last 5–10 years) is often necessary unless historical context is essential. Be realistic about the resources (time, access) available. A tightly focused PICO question naturally limits scope creep. Revisit and refine your question as needed during initial searches, but avoid major shifts without reassessing feasibility. A well-crafted PICO question acts as the blueprint for the entire review process, guiding database selection, search term development, study screening, and data extraction. It is the single most important factor in achieving efficiency.

THE SEARCH STRATEGY: PRECISION AND RECALL IN THE INFORMATION DELUGE

With a clear question defined, the next challenge is systematically retrieving relevant literature from the vast biomedical database ecosystem. An effective search strategy balances recall (finding all relevant articles) with precision (excluding irrelevant ones). [10] Efficiency comes from maximizing precision without sacrificing essential recall.

Selecting appropriate databases: No single database covers everything. Start with core medical databases:

PubMed/MEDLINE: The National Library of Medicine's premier database, indexing over 30 million biomedical citations and abstracts. Essential for clinical medicine and basic research. [11]

Embase (Excerpta Medica): Stronger coverage of European literature, pharmacology, drug research, and adverse events. Often complements PubMed. [12]

Cochrane Central Register of Controlled Trials (CENTRAL): The most comprehensive source for reports of randomized and quasi-randomized controlled trials, essential for systematic reviews of interventions. [13]

CINAHL (Cumulative Index to Nursing and Allied Health Literature): Crucial for nursing, allied health professions, patient perspectives, and some aspects of healthcare delivery. [14]

Scopus and Web of Science: Multidisciplinary citation databases. Excellent for finding citing references (forward citation searching) and gauging impact, broader coverage beyond core biomedicine. [15,16]

Specialized Databases: PsycINFO (psychology/psychiatry), ERIC (education), Global Index Medicus (WHO, focus on low/middle-income countries), clinical trial registries (ClinicalTrials.gov, WHO ICTRP).

Grey Literature Sources: ProQuest Dissertations and Theses, conference proceedings, government reports, and regulatory agency websites (FDA, EMA). Crucial for minimizing publication bias but requires specific search approaches. [17] Prioritize databases based on PICO questions.

Developing the search string: Keywords and subject headings

Identify key concepts: Break down your PICO question into its core concepts (e.g., Population: "type 2 diabetes", "adults"; Intervention: "metformin"; Comparison: "sulfonylureas"; Outcome: "cardiovascular mortality").

Brainstorm synonyms and variations: For each concept, list all relevant keywords, including synonyms, acronyms, spelling variations (UK/US), chemical names, brand names, and related terms. Use dictionaries and thesauri, and scan known relevant articles.

Leverage controlled vocabulary (Subject Headings): Databases use standardized subject headings (MeSH in PubMed, Emtree in Embase) to index articles. Using these significantly improves recall and precision. Identify relevant headings and their hierarchies (subheadings can add specificity). Combine keyword and subject heading searching.

Boolean operators:

- **Combine terms logically:** 'AND' narrow search (e.g., 'Diabetes Mellitus, Type 2 AND Metformin'—finds articles mentioning both). [18–25] 'OR' broadens search within a concept (e.g., "'Cardiovascular

Mortality" OR "Myocardial Infarction" OR "Stroke"—finds articles mentioning any outcome). 'NOT' excludes terms (use cautiously, can eliminate relevant articles).

- **Truncation & Wildcards:** Use symbols (often in PubMed/Embase, '\$' in Ovid) to find word variations: 'child' finds child, children, childhood. 'wom?n' finds woman, women.
- **Phrase Searching:** Use quotation marks for exact phrases (e.g., "'heart failure'").
- **Field Tags:** Limit searches to specific fields like Title ('[ti]'), Abstract ('[ab]'), Author ('[au]'), and Journal ('[ta]') for increased precision.
- **Proximity Operators:** Find terms near each other (e.g., '[adj3]' in Ovid for adjacent within 3 words).
- **Building and Refining the Search:** Start simple, then build complexity. Begin with the main concepts combined with 'AND'. Add synonyms within concepts using 'OR'. Apply limits (publication date, language, study type—use database filters cautiously; better to build into the search string, if possible, for transparency). Test the search: Does it retrieve known key articles? Are there too many irrelevant results (add terms/limits)? Too few (add synonyms/broader terms)? Iteratively refine. [26–33] Document every search string meticulously (database, date run, exact syntax) for reproducibility and future updates.

Supplementary search strategies

Citation tracking: Check reference lists of key articles ("backward citation searching") and use Scopus/Web of Science to find articles that cited key articles ("forward citation searching"). Highly efficient for finding seminal papers and recent developments. [34]

Hand searching: Scanning tables of contents of key journals in the field, although less critical with modern indexing, can still be relevant for very niche topics or recent issues.

Consulting Experts/Librarians: Medical librarians are invaluable partners in developing and executing complex searches. The researcher should not hesitate to consult them. [35] Efficiency in searching comes from structured planning, leveraging database features effectively, iterative refinement based on results, and using supplementary methods strategically. A well-documented, replicable search strategy is the bedrock of a rigorous review.

SCREENING AND SELECTION: FILTERING THE FIREHOSE

The initial search will typically yield hundreds or thousands of citations. Screening is the process of efficiently identifying the subset of articles that meet the predefined eligibility criteria (based directly on your PICO/PECO question and scope). This stage requires a systematic approach to avoid bias and manage workload. [36]

Utilizing reference management software

Importing all search results into reference management software (EndNote, Zotero, Mendeley) must be done immediately. This software is indispensable for:

Deduplication: Removing duplicate citations retrieved from multiple databases.

Organization: Creating groups/folders for different screening stages.

Screening: Many tools allow viewing titles/abstracts within the software and marking records as included/excluded.

PDF Management: Linking to or storing full-text articles.

Citation formatting: Generating bibliographies later. [37–45]

Developing clear, predefined inclusion/exclusion criteria

Before screening begins, explicitly defining criteria based directly on PICO and scope is conducted:

Population: Specific demographics, disease characteristics, and settings.

Intervention/Exposure: Specific definition required.

Comparison: Required or not? Specific comparator?

Outcomes: Must report relevant outcomes. Minimum follow-up?

Study Design: Acceptable designs (RCT, cohort, case-control, systematic review, etc.).

Publication Type: Original research, reviews, guidelines? Excluding editorials and letters?

Language: Restricting to languages that can be read/translated? (Cautious must be exercised; language bias is a concern).

Publication Date: Defined timeframe.

Setting: Geographic or healthcare setting limitations? Documenting these criteria precisely must be ensured. [40–46]

The two-stage screening process

Title/abstract screening: Quickly scanning titles and abstracts against inclusion/exclusion criteria with the aim for high sensitivity (without missing potentially relevant articles) at this stage is essential. Exercising caution about excluding based solely on an abstract if it's unclear is essential; when in doubt, inclusion for a full-text check is required. [40,41] Using reference manager features or specialized tools like Rayyan (free for systematic reviews) to streamline this process and facilitate collaboration is advantageous. [39,45] Marking records: Include, Exclude, maybe.

Full-text screening: Retrieve and assess the full text of articles marked "Include" or "Maybe" from the first stage. Apply the same inclusion/exclusion criteria rigorously. Document the reason for exclusion for every article reviewed at this stage (essential for transparency, especially in systematic reviews). [40,41,46] Keep meticulous records.

Ensuring reliability

Piloting and calibration: Before screening the entire set, piloting the criteria and process on a small sample (e.g., 50–100 articles) is recommended, with all reviewers involved.

Discussing disagreements to refine criteria and ensure consistent understanding and application (calibration) is followed. [40,41,47,48] This upfront investment prevents confusion and rework later.

Handling disagreements: Establishing a process for resolving disagreements between reviewers (common in systematic reviews) is crucial. [40,47] Often, a third reviewer acts as an arbitrator and then documents the resolution process. [40,46] Efficient screening relies on clear criteria, a structured workflow enabled by technology, and good record-keeping. [37,39,40,45,46] The goal is to be thorough but not bogged down by clearly irrelevant material early on.

CRITICAL APPRAISAL: ASSESSING TRUSTWORTHINESS AND RELEVANCE

Finding relevant articles is only half the battle. Critical appraisal is the systematic evaluation of a study's methodological quality, validity, and relevance to the specific question and context. [49] It is the cornerstone of EBP and separates a mere summary from a true synthesis. Efficiency comes from focusing on key validity questions pertinent to the study design and the review's purpose. Why Appraise? To determine:

Internal validity: Are the study results likely to be true? (Minimized risk of bias/confounding).

External validity (applicability): Can the results be applied to a specific population/setting?

Clinical significance: Are the observed effects large enough to matter in practice?

Relevance: Does the study directly address the PICO question and outcomes?

Frameworks tailored to study design: Different designs have different inherent strengths, weaknesses, and key sources of bias. Using validated critical appraisal tools as checklists or guides is necessary: [50,51]

Randomized controlled trials (RCTs): Cochrane Risk of Bias tool (RoB 2). [52] Focuses on randomization, allocation concealment, blinding, incomplete outcome data, and selective reporting.

Observational studies (cohort, case-control): ROBINS-I tool (Risk Of Bias In Non-randomized Studies - of Interventions), [53] Newcastle-Ottawa Scale (NOS). [54] Focus on the selection of participants, comparability of groups, ascertainment of exposure/outcome, and follow-up adequacy.

Diagnostic accuracy studies: QUADAS-2 tool. [55] Focuses on patient selection, index test, reference standard, flow/timing.

Systematic reviews: AMSTAR 2 (A Measurement Tool to Assess Systematic Reviews). [56] Focuses on comprehensive search, study selection/bias assessment, synthesis methods, and conflicts of interest.

Clinical practice guidelines: AGREE II (Appraisal of Guidelines for Research & Evaluation). [57] Focuses on

scope, stakeholder involvement, rigor of development, clarity, applicability, and editorial independence.

Qualitative studies: CASP Qualitative Checklist, [58] JBI Critical Appraisal Checklists. [59] Focus on research aims, methodology fit, recruitment strategy, data collection/analysis, reflexivity, and ethical issues.

Key appraisal questions (general principles)

Regardless of design, several considerations should not be underestimated:

Aim: Was the research question clear? **Design:** Was the design appropriate to answer the question?

Participants: Were the participants appropriately selected and representative? (Consider inclusion/exclusion criteria, recruitment method, baseline characteristics).

Methods: Were measurements (exposures, outcomes, confounders) valid and reliable? Was the follow-up complete and long enough?

Bias: What are the potential sources of bias (selection, performance, detection, attrition, reporting)? How might they affect the results?

Results: Are the main findings presented? Are confidence intervals provided? Was statistical analysis appropriate?

Interpretation: Are the conclusions supported by the results? Are limitations discussed? Are conflicts of interest declared? [60–67]

Efficiency tips for appraisal

Prioritize: Focus appraisal efforts on studies central to your question or those with potentially high impact. Preliminary screening can flag lower-quality studies for less detailed appraisal.

Use Tools Consistently: Employ the appropriate checklist/tool to ensure systematic coverage of key validity issues.

Focus on Key Flaws: Identify the most significant methodological limitations that could substantially alter the interpretation of the results. Don't get lost in minor details unless they are crucial.

Summarize Judgments: Use simple summaries (e.g., "Low risk," "Some concerns," "High risk" of bias for RoB 2 domains; "Good," "Fair," and "Poor" quality overall). Tabulate appraisals for overview.

Consider Applicability: Explicitly judge whether the study population, interventions, and outcomes match the context. A valid study irrelevant to the preselected PICO is still not useful. Critical appraisal transforms information into evidence. [61,68–71]. It allows researchers to weigh the findings appropriately within their synthesis, distinguishing robust evidence from potentially misleading results. Efficient appraisal is systematic, design-focused, and prioritizes key validity threats.

SYNTHESIZING THE EVIDENCE: FROM INDIVIDUAL STUDIES TO COHERENT INSIGHT

Synthesis is the process of integrating the findings and insights from the appraised studies to draw overall conclusions relevant to your original question. It moves beyond simply listing study results to identifying patterns, relationships, contradictions, and overarching themes. [72] Efficiency lies in organizing information effectively and choosing the right synthesis method for the purpose and data.

Data extraction

The foundation: Before synthesis, systematically extract key information from each included study. Create a tailored data extraction form (electronic spreadsheets are efficient). Essential elements include: Study identifiers (author, year), Study design, Population characteristics (P), Intervention/Exposure details (I/E), Comparison (C), Outcomes measured and results (O—including effect sizes, confidence intervals, *p*-values), Key methodological features (sample size, follow-up, risk of bias assessment), Authors' main conclusions and Reviewer notes/comments. [73–78] Consistent and thorough extraction prevents needing to re-read papers during synthesis.

Choosing a synthesis method

Narrative Synthesis:

The most common approach for narrative reviews. It involves organizing studies thematically (e.g., by intervention type, population subgroup, outcome), comparing and contrasting their findings, explaining patterns (including inconsistencies), and drawing reasoned conclusions based on the weight and quality of evidence. [79] Use tables to summarize key study characteristics and results visually. Techniques include:

- **Grouping:** Clustering studies with similar characteristics or findings.
- **Tabulation:** Presenting key data in tables for easy comparison.
- **Vote counting:** Simple tallying of studies showing benefit/harm/no effect (limited value without considering study quality and effect size).
- **Exploring relationships:** Examining how study characteristics (design, quality, population) relate to findings.
- **Assessing robustness:** Considering consistency of findings across studies and sensitivity to study quality.

Thematic synthesis (qualitative data):

Used primarily for qualitative research. Involves identifying recurring themes or concepts across studies through coding, developing descriptive themes, and generating analytical themes that offer deeper interpretation. [80]

Meta-analysis (quantitative synthesis): A statistical technique used in systematic reviews to combine numerical results from multiple independent studies (usually RCTs or cohort studies) measuring the same outcome, providing a pooled effect estimate (e.g., pooled odds ratio, mean

difference). [81] Requires homogeneity in PICO and outcome measurement. Increases precision but requires statistical expertise. Not typically part of a standard narrative review.

Scoping review synthesis: Focuses on mapping the breadth of literature on a topic, often identifying key concepts, sources, and gaps, rather than answering a specific efficacy question. Results are typically presented narratively and visually (e.g., concept maps). [82]

Structuring the synthesis

Describe the evidence base: Briefly summarize the number and types of studies found, their overall quality/risk of bias, and key characteristics of the populations and interventions

studied. Use a flow diagram (like Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) [83]) to illustrate study selection, especially for systematic reviews. **Figure 1** illustrates a visual tool that enhances methodological transparency and can be easily adapted for systematic reviews by adding meta-analysis branches and risk-of-bias assessment steps.

Present findings by theme/outcome/PICO element: Organize the results logically. Group studies addressing similar sub-questions or reporting on specific outcomes. Compare and contrast findings.

Address inconsistencies: Explicitly discuss where studies disagree. Explore potential reasons: differences in population,




Figure 1: Flowchart satisfies PRISMA 2020 guidelines while being adaptable for narrative reviews. The structure provides transparency in selection methodology and helps identify potential biases in study selection.

intervention, outcome definition, study quality, methodology, and context.

Integrate critical appraisal: Weave the quality assessment into the synthesis. Highlight how methodological strengths and weaknesses influence confidence in the findings (e.g., “The consistent benefit observed across several high-quality RCTs supports ...”; “The finding from a single small cohort study with a high risk of selection bias should be interpreted cautiously ...”).

Highlight gaps: Identify areas where evidence is lacking, inconclusive, or of poor quality. What important questions remain unanswered? [84–92]

Efficiency in synthesis

Leverage tables: Well-structured summary tables are invaluable for presenting key study details and results concisely, allowing readers (and writers) to see patterns quickly. See **Table 1**, below, for an example structure.

Focus on key messages: Synthesize around the main themes or answers to your PICO question. Avoid getting lost in excessive detail from individual studies unless they are critically illustrative.

Use visualizations: Simple charts (e.g., bar charts showing the distribution of study designs and risk of bias summaries) can convey information efficiently.

Iterative process: Synthesis often reveals nuances; be prepared to revisit your data extraction or organization slightly. [93–97]

Effective synthesis transforms a collection of studies into a coherent narrative that provides meaningful insight into the clinical question or research problem. It is the heart of the review’s value.

WRITING THE REVIEW: CLARITY, CONCISENESS, AND COHERENCE

The final stage is communicating the findings effectively. A well-written review presents the synthesized evidence concisely and logically, tailored to the intended audience (clinicians, researchers, students) and the journal’s format. [98,99] Efficiency in writing comes from good preparation (previous steps) and structured composition.

Structuring the manuscript

Adhere to the standard IMRAD (Introduction, Methods, Results, and Discussion) structure expected by most journals for review articles, as outlined in this journal and other platforms’ guidelines: [100,101]

Introduction: Clearly state the topic and its clinical/research significance. Define the specific problem or knowledge gap addressed. State the precise objective(s) and research question(s) (using PICO if applicable). Briefly outline the scope/purpose of the review. [102,103]

Methods (Search Strategy and Selection): Transparency is paramount. Detail the process so it is reproducible.

- **Describe the search strategy:** Databases searched (with dates covered), search terms/keywords/subject headings used, full search strings for at least one major database (can be in an appendix), any filters applied (date, language).
- **Describe study selection:** Inclusion/exclusion criteria (referencing PICO), screening process (number of reviewers, how disagreements were resolved), flow of studies (use a PRISMA-style flow diagram if systematic, or summarize numbers screened/included). [103–105]
- **Describe data extraction:** Process, variables extracted.
- **Describe critical appraisal:** Methods/tools used, how judgments were made (e.g., by one/two reviewers, consensus process).
- **Describe synthesis method:** Narrative, thematic, etc. [102,105–107]

Results (Findings and Synthesis): Present the characteristics of the included studies (use tables—e.g., study design, population, interventions, key results). See **Table 1**, for example. Present the results of the critical appraisal (e.g., summary risk of bias tables/charts). [106] Present the synthesized findings, organized logically (e.g., by PICO element, key theme, or outcome). Integrate the appraisal—discuss findings in light of study quality. Highlight consistencies and inconsistencies in the evidence [103,106]. Use clear headings and subheadings. Support text with well-designed tables and figures.

Table 1: Example summary table structure for study characteristics and results.

Author, year*	Study design	Population (n)	Intervention	Comparison	Key outcomes (results)	Risk of bias/ quality	Notes
Smith et al., 2023	RCT	Adults T2DM, high CV risk (n = 1500)	Metformin (target dose)	Glipizide (target dose)	CV Mortality: HR, 0.85 (95% CI, 0.72–1.00)	Low (Cochrane RoB 2)	5-year follow-up
Jones et al., 2021	Cohort	Adults T2DM in primary care (n = 8500)	Metformin users	Sulfonylurea users	CV Mortality: Adjusted Hazard Ratio (aHR), 0.92 (95% CI, 0.88–0.97)	Moderate (ROBINS-I)	Adjusted for age, sex, and comorbidities
Patel et al., 2020	Meta-analysis	Adults T2DM (12 RCTs, n = 25,000)	Metformin	Various Sus	CV Mortality: OR, 0.89 (0.82–0.97)	High (AMSTAR 2 - limited search)	Included older trials

*This is a simplified example; actual tables would include more specific details per study.

Discussion:

- **Summary of Main Findings:** Briefly reiterate the key answers to the review question based on the synthesized evidence.
- **Interpretation:** What do these findings mean? [99] How do they relate to existing knowledge and practice? Discuss the strengths and limitations of the evidence base (e.g., overall quality, consistency, precision, directness—consider GRADE principles if applicable).
- **Limitations of the Review:** Acknowledge the limitations of the review process (e.g., potential publication bias, language restrictions, search strategy limitations, subjectivity in appraisal/synthesis). [87,88,105, 107–111]
- **Conclusions:** State clear, evidence-based conclusions directly linked to the review objectives. Avoid overstating findings based on weak evidence. [110]
- **Implications:** For practice (what should clinicians do differently?), for research (what are the key unanswered questions? What future studies are needed?), for policy, or for education. [108,110] Avoid introducing new results not mentioned in the Results section.

Writing style for efficiency and impact:

Be clear and concise: Use plain language. Avoid jargon where possible; define necessary technical terms. Prefer active voice ("We searched databases ...") over passive ("Databases were searched ...") where appropriate. Eliminate redundant words and phrases. [101,108,110]

Be objective and precise: Present findings accurately, distinguishing between facts and one's own interpretations or those of the original authors. Use precise language regarding effect sizes and confidence intervals. [109] Avoid vague terms like "trend towards significance" unless statistically defined. [101,106,112]

Integrate critical appraisal: Don't relegate quality assessment to a separate section only. Weave comments on study limitations and strengths into the Results and Discussion when presenting findings (e.g., "This large RCT, judged at low risk of bias, demonstrated ..."; "The observed association in this case-control study is limited by potential recall bias ..."). [101,106,107,113,114]

Use visual aids effectively: Tables and figures (flowcharts, summary plots, conceptual diagrams) convey complex information much more efficiently than text alone [104,105]. Ensure they are self-explanatory (clear titles, legends, labels) and referenced in the text. Avoid duplicating data between text and tables. [110,114]

Maintain logical flow: Ensure smooth transitions between paragraphs and sections. Use signposting (e.g., "The following section describes ...", "In contrast to these findings ...", "A major limitation of this evidence is ..."). [101,108,115]

Cite appropriately: Ensure every statement based on external sources is properly cited [105,107]. Use the journal's required

referencing style (e.g., Vancouver numeric, as per *Yemen Journal of Medicine* [YJM]) consistently and accurately. [101,114]

Efficiency tips for writing

Start early: Begin drafting sections (especially Methods) while conducting the review. [107]

Use tables/notes: Synthesis tables and critical appraisal summaries form the skeleton of your Results section. [104,105]

Write in sections: Tackle one section at a time; don't try to write the whole paper linearly from start to finish. Introduction and Discussion are often easier after Results/Methods are drafted. [110,115]

Seek feedback: Share drafts with colleagues, mentors, or co-authors for feedback on clarity, logic, and completeness. [108]

Revise ruthlessly: Allow time for multiple revisions. Focus first on content and structure, then on clarity and conciseness, and finally on grammar and style. [110] Use spelling/grammar checkers, but don't rely solely on them. A well-written review efficiently communicates the journey from question to evidence-based conclusions, providing genuine value to the reader. [114,115]

MAINTAINING CURRENCY AND CONTINUOUS LEARNING

Medical knowledge is dynamic. A literature review represents a snapshot of the evidence at the time the search was conducted. For ongoing clinical practice or long-term research projects, maintaining awareness of new evidence is crucial. [116] Efficiency involves setting up manageable systems for updates. [117]

Strategies for keeping updated

Saved search alerts: Most major databases (PubMed, Embase, Scopus, Web of Science) allow researchers to save their search strategy and set up email alerts for new articles matching that strategy. [118–125] This is the most efficient way to automate updates. Schedule regular reviews of alert emails (e.g., weekly, monthly).

Table of Contents (TOC) alerts: Subscribing to TOC alerts from key journals in the field via the journal website or aggregators like Journal TOCs.

- **Citation alerts:** Setting up alerts in Scopus or Web of Science to notify the researcher when new articles cite key papers identified in the review.
- **Aggregators and review services:** Utilize services like EvidenceAlerts, BMJ Updates, or specialty-specific evidence update services that filter new research based on quality and relevance.
- **Professional networks and conferences:** Engagement with colleagues, attending conferences, and following relevant professional societies/newsletters for highlights of important new findings. [120–123]
 - **When to Update a Formal Review:** For a published review article, a major update may be warranted if:

- A significant volume of high-impact new research emerges.
- New evidence contradicts the original conclusions.
- Major new guidelines are published based on substantial new data.
- A predefined timeframe elapses (e.g., planned 2-year update). Consider the effort involved versus the potential change in conclusions. [117,124]

Leveraging technology wisely

Reference managers: Essential for organizing new citations alongside the original review set. Use groups/folders to manage updates. [126]

Automation tools: Saved searches and alerts are the primary automation tools. Explore tools that help screen abstracts (e.g., Rayyan's AI-assist features, though human oversight is critical). [127]

AI-Assisted tools (use with extreme caution): Tools like ChatGPT or Elicit can potentially help brainstorm search terms, summarize articles that have already been found (verify accuracy!), or draft simple explanations. [121] Crucially: [128,129]

1. Never use AI to generate fabricated references, data, or conclusions.
2. Never rely solely on AI for critical appraisal or synthesis.
3. Awareness of AI hallucinations (invented information).
4. Disclose AI use transparently according to journal policy (e.g., "AI tool X was used to assist with initial summarization of article abstracts for screening; all summaries were verified by the authors").
5. Maintain human responsibility for all intellectual content, accuracy, and integrity.

Continuous learning is integral to medical professionalism. Efficient update strategies ensure that knowledge derived from literature reviews remains relevant over time.

COMMON PITFALLS AND HOW TO AVOID THEM: LESSONS FROM EXPERIENCE

Even with good intentions, inefficiency and errors can creep into the literature review process. Awareness of common pitfalls is the first step to avoiding them.

Pitfall 1: Unfocused Question/Scope Creep: Starting too broadly or allowing the scope to expand uncontrollably during the review.

Avoidance 1: Rigorously applying the PICO/PECO framework upfront. [130,131] Define strict inclusion/exclusion criteria. [131] Revisit the original question when tempted to expand scope; is it essential for the core objective?

Pitfall 2: Inefficient or Biased Search: Missing key databases, using poor search terms, applying overly restrictive filters, or introducing bias (e.g., only searching PubMed, language bias).

Avoidance 2: Consulting a librarian. [132] Using multiple relevant databases. [132,133] Develop comprehensive

search strings with synonyms and subject headings. [132,133] Documenting and justifying limits. [132] Be mindful of potential biases in the search strategy. [132]

Pitfall 3: Poor Record Keeping: Not documenting search strategies, screening decisions, exclusion reasons, or data extraction. This leads to confusion, irreproducibility, and wasted time redoing work.

Avoidance 3: Use reference manager software systematically. Document everything: search strings (database, date run), screening flow (numbers included/excluded at each stage with reasons), data extraction forms, and critical appraisal judgments. Use tools like Rayyan or Covidence for collaborative reviews. [134,135]

Pitfall 4: Neglecting Critical Appraisal: Summarizing findings without evaluating study quality, leading to potentially misleading conclusions based on flawed evidence.

Avoidance 4: Integrating critical appraisal as a non-negotiable step. Using validated tools appropriate to the study design. [136-138] Explicitly incorporating quality assessment into the synthesis and discussion. [137,138]

Pitfall 5: Descriptive Synthesis Only (Lack of Synthesis): Simply listing study results without integrating them, identifying patterns, explaining contradictions, or drawing overall conclusions.

Avoidance 5: Moving beyond description. [139] Actively compare, contrast, and interpret findings [139,140]. Group studies thematically. [140] Explicitly discuss consistencies, inconsistencies, and reasons for them. Focus on answering the original question.

Pitfall 6: Overreliance on Low-Quality Evidence or Secondary Sources: Basing conclusions on weak studies (e.g., case reports for therapeutic efficacy) or primarily citing other reviews instead of primary research. Risk of *Predatory journals*: Verify journal legitimacy via Directory of Open Access Journals (DOAJ)/Cabell's lists; check for indexed status in MEDLINE/Scopus.

Avoidance 6: Prioritize high-quality primary studies (RCTs, well-designed cohorts) for questions of intervention or harm. [141,142] Use systematic reviews as starting points but verify key primary sources. [143] Be transparent about the hierarchy of evidence supporting conclusions. [141,142] **Pitfall 7:** Poor Writing and Organization: Unclear structure, verbose language, lack of tables/figures, poor integration of critical appraisal, and conclusions not supported by results.

Avoidance 7: Follow IMRAD structure. Write clearly and concisely. Use tables and figures effectively. Weave critical appraisal into results/discussion. Ensure conclusions directly reflect the synthesized evidence and acknowledge limitations. [144,145] Seek feedback.

Pitfall 8: Plagiarism and Fabrication: Unintentional or intentional failure to properly cite sources or, worse, falsifying data/references.

Avoidance 8: Meticulously cite all sources using reference manager software. Paraphrase effectively while giving credit. [146,147] Understand journal plagiarism policies.

Never fabricate data, references, or results. [146–148] Use plagiarism-checking software cautiously before submission as a final check (but focus on original writing). [147] Vigilance against these pitfalls is essential for conducting reviews that are not only efficient but also rigorous, credible, and ethically sound.

“In medicine’s relentless pursuit of truth, we stand as perpetual learners: we fall through error, rise through evidence, and grow through humility. No credential confers infallibility, and no experience grants omniscience. Our greatest strength lies not in unbroken certainty, but in the courage to acknowledge vulnerability—for in every misstep lies the seed of wisdom that blossoms until our final breath.”

CONCLUSION: INTEGRATING EFFICIENCY INTO SCHOLARLY PRACTICE

Conducting an efficient literature review is an indispensable skill for navigating the complexities of modern medicine. It is not about cutting corners, but about applying systematic rigor, critical thinking, and strategic resource management to transform an overwhelming task into a focused and productive scholarly endeavor. As this guide has outlined, efficiency is woven throughout the entire process. It begins with the precision of a well-defined PICO/PECO question, setting clear boundaries and focus. It is achieved through a meticulously planned and executed search strategy, leveraging databases, subject headings, and supplementary methods like citation tracking, guided by expert librarians where possible. It relies on systematic screening and selection using clear criteria and reference management tools to filter relevant evidence. It is grounded in rigorous critical appraisal using validated tools to assess the trustworthiness and applicability of each study. It culminates in effective synthesis, moving beyond description to integrate findings, explain patterns and inconsistencies, and draw evidence-based conclusions, supported by clear tables and visualizations. It is communicated through clear, concise, and well-structured writing that transparently reports methods and integrates critical appraisal into the narrative. It is sustained by strategies for maintaining currency and a commitment to avoiding common pitfalls like scope creep, poor record-keeping, and uncritical acceptance of evidence. For the medical student, mastering efficient literature reviews lays the foundation for lifelong learning and EBP. For the clinician, it is essential to provide optimal, up-to-date patient care and engage in practice improvement. For the researcher, it is the critical first step in designing novel studies and interpreting findings within the broader scientific context. For the educator, it ensures teaching is grounded in the best available evidence. The tools and technologies available—sophisticated databases, reference managers, and strategically integrated AI tools that augment (not replace) critical appraisal, particularly for high-volume screening and bias detection in complex evidence—are powerful allies in this pursuit. However, they cannot replace the core human skills of critical thinking, methodological rigor, and scholarly integrity. By adopting the structured, strategic, and critically appraised approach detailed in this guide, medical professionals and students can confidently navigate the ever-expanding sea of medical literature, saving valuable time while producing high-quality, impactful work that advances knowledge and improves health outcomes.

SOURCE OF FUNDING

None.

CONFLICT OF INTEREST

None.

REFERENCES

1. Bastian H, Glasziou P, Chalmers I. Seventy-five trials and eleven systematic reviews a day: How will we ever keep up? *PLoS Med*. 2010;7(9):e1000326.
2. Sackett DL, Rosenberg WM, Gray JA, Haynes RB, Richardson WS. Evidence based medicine: What it is and what it isn't. *BMJ*. 1996;312(7023):71-72.
3. Grant MJ, Booth A. A typology of reviews: An analysis of 14 review types and associated methodologies. *Health Info Libr J*. 2009;26(2):91-108.
4. Ioannidis JP. Why most published research findings are false. *PLoS Med*. 2005;2(8):e124.
5. Riva JJ, Malik KM, Burnie SJ, Endicott AR, Busse JW. What is your research question? An introduction to the PICOT format for clinicians. *J Can Chiropr Assoc*. 2012;56(3):167-171.
6. Moher D, Shamseer L, Clarke M, Ghersi D, Liberati A, Petticrew M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev*. 2015;4:1.
7. Bigby M, Rzany B. Formulating Well-Built Clinical Questions. In: *Evidence-Based Dermatology*. Hoboken, NJ: Wiley; 2014. p.23-6.
8. Methley AM, Campbell S, Chew-Graham C, McNally R, Cheraghi-Sohi S. PICO, PICOS and SPIDER: A comparison study of specificity and sensitivity in three search tools for qualitative systematic reviews. *BMC Health Serv Res*. 2014;14:579.
9. Oxford Centre for Evidence-Based Medicine: Levels of Evidence [Internet]. Oxford: University of Oxford; 2009 [cited 2023 Oct 26]. Available from: <https://www.cebm.ox.ac.uk/resources/levels-of-evidence/oxford-centre-for-evidence-based-medicine-levels-of-evidence-march-2009>
10. Frandsen TF, Eriksen MB, Hammer DMG, Christensen JB. Using the full PICO model as a search tool for systematic reviews resulted in lower recall for some PICO elements. *J Clin Epidemiol*. 2020;127:69-75.
11. National Library of Medicine. MEDLINE, PubMed, and PMC (PubMed Central): How are they different? [Internet]. Bethesda, MD: NLM; [cited 2023 Oct 26]. Available from: <https://www.nlm.nih.gov/bsd/difference.html>
12. Elsevier. Embase: Biomedical answers [Internet]. Amsterdam: Elsevier; [cited 2023 Oct 26]. Available from: <https://www.elsevier.com/solutions/embase-biomedical-research>
13. Cochrane. About Cochrane Reviews [Internet]. London: Cochrane; [cited 2023 Oct 26]. Available from: <https://www.cochrane.org/evidence>
14. EBSCO. CINAHL Complete [Internet]. Ipswich, MA: EBSCO Information Services; [cited 2023 Oct 26]. Available from: <https://www.ebsco.com/products/research-databases/cinahl-complete>
15. Elsevier. Scopus [Internet]. Amsterdam: Elsevier; [cited 2023 Oct 26]. Available from: <https://www.elsevier.com/solutions/scopus>

16. Clarivate. Web of Science [Internet]. Philadelphia, PA: Clarivate Analytics; [cited 2023 Oct 26]. Available from: <https://clarivate.com/webofsciencgroup/solutions/web-of-science/>
17. Paez A. Grey literature: An important resource in systematic reviews. *J Evid Based Med*. 2017;10(3):233-240.
18. University of Toledo Libraries. STEP 1: PICOT, Search Terms, & Search Strategy [Internet]. Toledo, OH: University of Toledo; 2025 [cited 2025 Jun 10]. <https://libguides.utoledo.edu/c.php?g=1343918&p=10561546>
19. Bahardoust M, Hadaegh F, Mehrabi Y, Delpisheh A, Khalili D. Medication time of metformin and sulfonylureas and incidence of cardiovascular diseases and mortality in type 2 diabetes: A pooled cohort analysis. *Sci Rep*. 2025;15(1):8401.
20. Richardson WS, Wilson MC, Nishikawa J, Hayward RS. The well-built clinical question: A key to evidence-based decisions. *ACP J Club*. 1995;123(3):A12-3.
21. Lefebvre C, Glanville J, Briscoe S, Littlewood A, Marshall C, Metzendorf MI, et al. Chapter 4: Searching for and selecting studies. In: Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al., eds. *Cochrane Handbook for Systematic Reviews of Interventions* version 6.4. Cochrane; 2023. [cited 2025 Jun 5]. Available from: www.training.cochrane.org/handbook
22. National Library of Medicine. Medical Subject Headings (MeSH®) [Internet]. Bethesda, MD: NLM; [updated 2024]. [cited 2025 Jun 5]. Available from: <https://www.nlm.nih.gov/mesh/meshhome.html>
23. Frandsen TF, Nielsen MF, Lindhardt CL, Eriksen MB. Using the full PICO model as a search tool for systematic reviews resulted in lower recall for some PICO elements. *J Clin Epidemiol*. 2020;127:69-75.
24. Sampson M, McGowan J. Errors in search strategies were identified by type and frequency. *J Clin Epidemiol*. 2006;59(10):1057-1063.
25. National Center for Biotechnology Information (US). PubMed User Guide [Internet]. Bethesda, MD: NLM; 2005. [cited 2024 Jun 9]. Available from: <https://pubmed.ncbi.nlm.nih.gov/help/#boolean-operators>
26. Ovid®. Search Tips: Truncation and Wildcards [Internet]. New York: Ovid Technologies (Wolters Kluwer); 2024. [cited 2025 Jun 5]. Available from: https://support.ovid.com/sp_base/svc/faq/#search-tips
27. Bramer WM, de Jonge GB, Rethlefsen ML, Mast F, Kleijnen J. A systematic approach to searching: An efficient and complete method to develop literature searches. *J Med Libr Assoc*. 2018;106(4):531-541.
28. Embase.com: Field descriptions [Internet]. Amsterdam: Elsevier; 2024. [cited 2025 Jun 5]. Available from: <https://www.elsevier.com/products/embase>
29. Ovid®. Syntax: Proximity Searching [Internet]. New York: Ovid Technologies (Wolters Kluwer); 2024. [cited 2025 Jun 5]. Available from: https://support.ovid.com/sp_base/svc/faq/#proximity-searching
30. Kable AK, Pich J, Maslin-Prothero SE. A structured approach to documenting a search strategy for publication: a 12 step guideline for authors. *Nurse Educ Today*. 2012;32(8):878-886.
31. Rethlefsen ML, Kirtley S, Waffenschmidt S, Ayala AP, Moher D, Page MJ, et al. PRISMA-S: An extension to the PRISMA Statement for Reporting Literature Searches in Systematic Reviews. *Syst Rev*. 2021;10(1):39.
32. Cooper C, Booth A, Britten N, Garside R. A comparison of results of empirical studies of supplementary search techniques and recommendations in review methodology handbooks: A methodological review. *Syst Rev*. 2017;6(1):234.
33. Cooke A, Smith DM, Booth A. The benefits of a systematic search strategy when conducting qualitative evidence synthesis; the SPIDER tool. *Qual Health Res*. 2012;22(10):1435-1443.
34. Garfield E. Citation indexes for science; a new dimension in documentation through association of ideas. *Science*. 1955;122(3159):108-111.
35. Cooper ID, Crum JA. New activities and changing roles of health sciences librarians: A systematic review, 1990-2012. *J Med Libr Assoc*. 2013;101(4):268-277.
36. Moher D, Liberati A, Tetzlaff J, Altman DG; PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *BMJ*. 2009;339:b2535.
37. Zotero. Your personal research assistant [Internet]. Corporation for Digital Scholarship; c2024 [cited 2024 Jun 9]. Available from: <https://www.zotero.org/>
38. Bramer WM, Giustini D, de Jonge GB, Holland L, Bekhuis T. De-duplication of database search results for systematic reviews in EndNote. *J Med Libr Assoc*. 2016;104(3):240-243.
39. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan-a web and mobile app for systematic reviews. *Syst Rev*. 2016;5(1):210.
40. Chandler J, Cumpston M, Li T, Page MJ, Welch VJ. *Cochrane Handbook for Systematic Reviews of Interventions*. Hoboken: Wiley; 2019. p. 4.
41. Institute of Medicine (US) Committee on Standards for Systematic Reviews of Comparative Effectiveness Research. *Finding What Works in Health Care: Standards for Systematic Reviews*. [cited 2025 Jun 5]. Eden J, Levit L, Berg A, Morton S, eds. Washington, DC: National Academies Press (US); 2011. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK209518/>
42. Scherer RW, Saldanha IJ. How should systematic reviewers handle conference abstracts? A view from the trenches. *Syst Rev*. 2019;8(1):264.
43. Moher D, Pham B, Lawson ML, Klassen TP. The inclusion of reports of randomised trials published in languages other than English in systematic reviews. *Health Technol Assess*. 2003;7(41):1-90.
44. Morrison A, Polisena J, Husereau D, Moulton K, Clark M, Fiander M, et al. The effect of English-language restriction on systematic review-based meta-analyses: A systematic review of empirical studies. *Int J Technol Assess Health Care*. 2012;28(2):138-144.
45. Rayyan Systems Inc. Rayyan: Intelligent Systematic Review [Internet]. Rayyan Systems Inc.; 2024 [cited 2024 Jun 9]. Available from: <https://www.rayyan.ai/>
46. Tetzlaff J, Page M, Moher D. PNS154 the PRISMA 2020 statement: Development of and key changes in an updated guideline for reporting systematic reviews and meta-analyses. *Value Health*. 2020;23:S312-S313.
47. Buscemi N, Hartling L, Vandermeer B, Tjosvold L, Klassen TP. Single data extraction generated more errors than double data extraction in systematic reviews. *J Clin Epidemiol*. 2006;59(7):697-703.
48. Landis JR, Koch GG. The measurement of observer agreement for categorical data. *Biometrics*. 1977;33(1):159-174.

49. Egger M, Zellweger-Zähner T, Schneider M, Junker C, Lengeler C, Antes G. Language bias in randomised controlled trials published in English and German. *Lancet*. 1997;350(9074):326-329.
50. Escaladela FM, Escaladela L, Bergamaschi DP. Systematic Review Support software system: Web-based solution for managing duplicates and screening eligible studies. *Rev Bras Epidemiol*. 2022;25:e220030.
51. Guyatt GH, Rennie D, Meade MO, Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice*. 3rd ed. McGraw-Hill Education; 2015.
52. Sterne JA, Savović J, Page MJ, Elbers RG, Blencowe NS, Boutron I, et al. RoB 2: A revised tool for assessing risk of bias in randomised trials. *BMJ*. 2019;366:l4898.
53. Sterne JA, Hernán MA, Reeves BC, Savović J, Berkman ND, Viswanathan M, et al. ROBINS-I: A tool for assessing risk of bias in non-randomised studies of interventions. *BMJ*. 2016;355:i4919.
54. Wells G, Shea B, O'Connell D, Peterson J, Welch V, Losos M, et al. The Newcastle-Ottawa Scale (NOS) for assessing the quality of nonrandomised studies in meta-analyses [Internet]. Ottawa: OHRO; [cited 2023 Oct 26]. Available from: http://www.ohri.ca/programs/clinical_epidemiology/oxford.asp
55. Whiting PF, Rutjes AW, Westwood ME, Mallett S, Deeks JJ, Reitsma JB, et al. QUADAS-2: A revised tool for the quality assessment of diagnostic accuracy studies. *Ann Intern Med*. 2011;155(8):529-536.
56. Shea BJ, Reeves BC, Wells G, Thuku M, Hamel C, Moran J, et al. AMSTAR 2: A critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. *BMJ*. 2017;358:j4008.
57. Brouwers MC, Kho ME, Browman GP, Burgers JS, Cluzeau F, Feder G, et al. AGREE II: Advancing guideline development, reporting and evaluation in health care. *CMAJ*. 2010;182(18):E839-E842.
58. Critical Appraisal Skills Programme (CASP). CASP Qualitative Checklist [Internet]. Oxford: CASP; [cited 2023 Oct 26]. Available from: <https://casp-uk.net/casp-tools-checklists/>
59. Joanna Briggs Institute (JBI). Critical Appraisal Tools. [cited 2023 Oct 26]. Available from: <https://jbi.global/critical-appraisal-tools>
60. Hulley SB, Cummings SR, Browner WS, Grady DG, Newman TB. *Designing Clinical Research*. 4th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2013.
61. Graves RS. Users' guides to the medical literature: A manual for evidence-based clinical practice. *J Med Libr Assoc*. 2002;90(4):483.
62. Rothman KJ, Greenland S, Lash TL. *Modern Epidemiology*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2008.
63. Kimberlin CL, Winterstein AG. Validity and reliability of measurement instruments used in research. *Am J Health Syst Pharm*. 2008;65(23):2276-2284.
64. Biering K, Hjollund NH, Frydenberg M. Using multiple imputation to deal with missing data and attrition in longitudinal studies with repeated measures of patient-reported outcomes. *Clin Epidemiol*. 2015;7:91-106.
65. Cumpston M, Li T, Page MJ, Chandler J, Welch VA, Higgins JP, et al. Updated guidance for trusted systematic reviews: A new edition of the Cochrane Handbook for Systematic Reviews of Interventions. *Cochrane Database Syst Rev*. 2019;2019(10):ED000142.
66. Gardner MJ, Altman DG. Confidence intervals rather than P values: Estimation rather than hypothesis testing. *Br Med J (Clin Res Ed)*. 1986;292(6522):746-750.
67. Ioannidis JPA. Why most published research findings are false. *PLoS Med*. 2005;2(8):e124.
68. Tricco AC, Antony J, Zarin W, Striffler L, Ghassemi M, Ivory J, et al. A scoping review of rapid review methods. *BMC Med*. 2015;13:224.
69. Munn Z, Moola S, Riitano D, Lisy K. The development of a critical appraisal tool for use in systematic reviews addressing questions of prevalence. *Int J Health Policy Manag*. 2014;3(3):123-128.
70. Sterne JAC, Savović J, Page MJ, Elbers RG, Blencowe NS, Boutron I, et al. RoB 2: A revised tool for assessing risk of bias in randomised trials. *BMJ*. 2019;366:l4898.
71. Brignardello-Petersen R, Carrasco-Labra A, Glick M, Guyatt GH, Azarpazhooh A. A practical approach to evidence-based dentistry: III: How to appraise and use an article about therapy. *J Am Dent Assoc*. 2015;146(1):42-49.
72. Popay J, Roberts H, Sowden A, Petticrew M, Arai L, Rodgers M, et al. *Guidance on the Conduct of Narrative Synthesis in Systematic Reviews: A Product from the ESRC Methods Programme*. Lancaster University. 2006.
73. Mays N, Pope C, Popay J. Systematically reviewing qualitative and quantitative evidence to inform management and policy-making in the health field. *J Health Serv Res Policy*. 2005;10 Suppl 1:6-20.
74. Sarkis-Onofre R, Catalá-López F, Aromataris E, Lockwood C. How to properly use the PRISMA Statement. *Syst Rev*. 2021;10:117.
75. Elamin MB, Flynn DN, Bassler D, Briel M, Alonso-Coello P, Karanickolas PJ, et al. Choice of data extraction tools for systematic reviews depends on resources and review complexity. *J Clin Epidemiol*. 2009;62(5):506-510.
76. The Joanna Briggs Institute. *Joanna Briggs Institute Reviewers' Manual: 2020 Edition*. Adelaide, Australia: The Joanna Briggs Institute; 2020.
77. Nightingale A. *A guide to systematic literature reviews. Surgery (Oxford)*. 2009;27(9):381-384.
78. Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gøtzsche PC, Ioannidis JP, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: Explanation and elaboration. *BMJ*. 2009;339:b2700.
79. Gough D, Thomas J, Oliver S, eds. *An Introduction to Systematic Reviews*. 2nd ed. London: SAGE Publications Ltd; 2017.
80. Thomas J, Harden A. Methods for the thematic synthesis of qualitative research in systematic reviews. *BMC Med Res Methodol*. 2008;8:45.
81. Borenstein M, Hedges LV, Higgins JP, Rothstein HR. *Introduction to Meta-Analysis*. John Wiley & Sons; 2021.
82. Peters MDJ, Godfrey CM, Khalil H, McInerney P, Parker D, Soares CB. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc*. 2015;13(3):141-146.
83. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71.
84. Siddaway AP, Wood AM, Hedges LV. How to do a systematic review: A best practice guide for conducting

- and reporting narrative reviews, meta-analyses, and meta-syntheses. *Annu Rev Psychol.* 2019;70(1):747-770.
85. Almalki SA, Al Jameel AH, Gowdar IM, Langaliya A, Vaddamanu SK, Di Blasio M, et al. Impact of clear aligner therapy on masticatory musculature and stomatognathic system: A systematic review conducted according to PRISMA guidelines and the Cochrane handbook for systematic reviews of interventions. *BMC Oral Health.* 2024;24(1):350.
 86. Thompson SG. Why sources of heterogeneity in meta-analysis should be investigated. *BMJ.* 1994;309(6965):1351-1355.
 87. Ryan R, Hill S. How to GRADE the quality of the evidence. Cochrane Consumers and Communication Group; 2016. [cited 2025 Jun 5]. Available from: <https://cccr.cochrane.org/author-resources>
 88. Schünemann H, Brożek J, Guyatt G, Oxman A, eds. GRADE handbook for grading quality of evidence and strength of recommendations. The GRADE Working Group; 2013. [cited 2025 Jun 5]. Available from: <https://gdt.gradepro.org/app/handbook/handbook.html>
 89. Robinson KA, Saldanha IJ, Mckoy NA. Development of a framework to identify research gaps from systematic reviews. *J Clin Epidemiol.* 2011;64(12):1325-1330.
 90. Muka T, Glisic M, Milic J, Verhoog S, Bohlius J, Bramer W, et al. A 24-step guide on how to design, conduct, and successfully publish a systematic review and meta-analysis in medical research. *Eur J Epidemiol.* 2020;35:49-60.
 91. Gough D, Thomas J, Oliver S. Clarifying differences between review designs and methods. *Syst Rev.* 2012;1:28.
 92. Lockwood C, Munn Z, Porritt K. Qualitative research synthesis: Methodological guidance for systematic reviewers utilizing meta-aggregation. *Int J Evid Based Healthc.* 2015;13(3):179-187.
 93. McKenzie JE, Brennan SE. Chapter 3: Defining the criteria for including studies and how they will be grouped for the synthesis. In: Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al, eds. *Cochrane Handbook for Systematic Reviews of Interventions*. 2nd ed. Chichester, UK: John Wiley & Sons; 2019.
 94. Pope C, Mays N, Popay J. How can we synthesize qualitative and quantitative evidence for healthcare policy-makers and managers?. *Healthc Manage Forum.* 2006;19:27-31.
 95. Kossmeier M, Tran US, Voracek M. Charting the landscape of graphical displays for meta-analysis and systematic reviews: A comprehensive review, taxonomy, and feature analysis. *BMC Med Res Methodol.* 2020;20:26.
 96. Lewis S, Clarke M. Forest plots: Trying to see the wood and the trees. *BMJ.* 2001;322(7300):1479-1480.
 97. Metsis K, Inchley J, Williams AJ, Vrahimis S, Brown L, Sullivan F. Conceptualisation of health among young people: A protocol for systematic review and thematic synthesis of qualitative studies. *Syst Rev.* 2024;13(1):200.
 98. Nekooeian AA. How to write a scientific article?. *Iranian J Orthop Surg.* 2020;9(2):89-93.
 99. Grewal A, Kataria H, Dhawan I. Literature search for research planning and identification of research problem. *Indian J Anaesth.* 2016;60(9):635-639.
 100. Vrabel M. Preferred reporting items for systematic reviews and meta-analyses. *Oncol Nurs Forum.* 2015;42(5):552-554.
 101. International Committee of Medical Journal Editors (ICMJE). Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals; 2024. [cited 2025 Jun 5]. Available from: <https://www.icmje.org/icmje-recommendations.pdf>
 102. Armstrong R, Hall BJ, Doyle J, Waters E. Chapter 2: Scoping the review. In: *Cochrane Handbook for Systematic Reviews of Health Promotion and Public Health Interventions*. Version 1. Melbourne: The Cochrane Collaboration; 2011.
 103. University of Texas Medical Branch. Evidence Based Practice (EBP): PICO [Internet]. Galveston, TX: University of Texas Medical Branch; 2024 [cited 2025 Jun 10]. Available from: <https://guides.utmb.edu/ebp/pico>
 104. Rethlefsen ML, Page MJ. PRISMA 2020 and PRISMA-S: Common questions on tracking records and the flow diagram. *J Med Libr Assoc.* 2022;110(2):253-257.
 105. The Campbell Collaboration. Campbell systematic reviews: Policies and guidelines. Version 2.0. 2023. Available from: https://www.campbellcollaboration.org/images/Campbell_Policies_and_Guidelines_2_0.pdf 05/06/2025
 106. Whiting P, Savović J, Higgins JPT, Caldwell DM, Reeves BC, Shea B, et al. ROBIS: A new tool to assess risk of bias in systematic reviews. *Res Synth Methods.* 2016 Jan;7(1):3-4.
 107. Centre for Reviews and Dissemination. CRD's Guidance for Undertaking Reviews in Health Care. York, UK: University of York; 2009.
 108. Hess DR. How to write an effective discussion. *Respir Care.* 2004;49(10):1238-1241.
 109. Sterne JA, Egger M, Moher D. Chapter 10: Addressing reporting biases. In: Higgins JP, Green S, eds. *Cochrane Handbook for Systematic Reviews of Interventions*. Version 5.1.0. The Cochrane Collaboration; 2011.
 110. Kliever MA. Writing it up: A step-by-step guide to publication for beginning investigators. *AJR Am J Roentgenol.* 2005;185(3):591-596.
 111. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. GRADE guidelines: 1. Introduction- GRADE evidence profiles and summary of findings tables. *J Clin Epidemiol.* 2011;64(4):383-394.
 112. Lang TA, Secic M. How to Report Statistics in Medicine: Annotated Guidelines for Authors, Editors, and Reviewers. 2nd ed. Philadelphia: American College of Physicians; 2006.
 113. Masic I. How to write an efficient discussion?. *Med Arch.* 2018;72(4):306-307.
 114. Nundy S, Kakar A, Bhutta ZA. How to Practice Academic Medicine and Publish from Developing Countries? : A Practical Guide. Singapore: Springer Singapore, Imprint Springer; 2022.
 115. Booth A, Sutton A, Papaioannou D. *Systematic Approaches to a Successful Literature Review*. SAGE; 2021.
 116. Shojania KG, Sampson M, Ansari MT, Ji J, Doucette S, Moher D. How quickly do systematic reviews go out of date? A survival analysis. *Ann Intern Med.* 2007;147(4):224-233.
 117. Moher D, Tsertsvadze A, Tricco AC, Eccles M, Grimshaw J, Sampson M, et al. A systematic review identified few methods and strategies describing when and how to update systematic reviews. *J Clin Epidemiol.* 2007;60(11):1095-1104.
 118. Ortiz AF, Camacho EC, Rojas JC, Camacho TC, Guevara SZ, Cuenca NT, et al. A practical guide to perform a

- systematic literature review and meta-analysis. *Principles Pract Clin Res*. 2021;7(4):47-57.
119. Salisbury L. Web of Science and Scopus: A comparative review of content and searching capabilities. *Charleston Advisor*. 2009;11(1):5-18.
 120. Singh VK, Singh P, Karmakar M, Leta J, Mayr P. The journal coverage of Web of Science, Scopus and Dimensions: A comparative analysis. *Scientometrics*. 2021;126:5113-5142.
 121. UCD Library. Systematic Reviews and AI [Internet]. Dublin: UniversityCollegeDublin; [cited 2025 Jun 10]. Available from: <https://libguides.ucd.ie/c.php?g=710791&p=5276891>
 122. UpToDate. About UpToDate [Internet]. Waltham, MA: Wolters Kluwer; [cited 2025 Jun 10]. Available from: <https://www.wolterskluwer.com/en/solutions/uptodate/about>
 123. Goolsby MJ, DuBois JC. Professional organization membership: Advancing the nurse practitioner role. *J Am Assoc Nurse Pract*. 2017;29(8):434-440.
 124. Elliott JH, Turner T, Clavisi O, Thomas J, Higgins JP, Mavergames C, et al. Living systematic reviews: An emerging opportunity to narrow the evidence-practice gap. *PLoS Med*. 2014;11(2):e1001603.
 125. McGowan J, Sampson M, Salzwedel DM, Cogo M, Foerster V, Lefebvre C. PRESS Peer Review of Electronic Search Strategies: 2015 Guideline Statement. *J Clin Epidemiol*. 2016;75:40-50.
 126. Tam WW, Tang A, Woo B, Goh SY. Perception of the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) statement of authors publishing reviews in nursing journals: A cross-sectional online survey. *BMJ Open*. 2019;9(4):e026271.
 127. Distiller SR. Automated Literature Reviews [Internet]. Ottawa, ON: Evidence Partners Inc.; [cited 2025 Jun 10]. Available from: <https://www.distillersr.com/>
 128. Nikolac Gabaj N. Artificial intelligence in scientific publishing. *Biochem Med*. 2024;34(Suppl 1):S14-S14.
 129. Seismological Society of America. Artificial Intelligence Guidelines for Authors [Internet]. Seattle, WA: Seismological Society of America; [cited 2025 Jun 10]. Available from: <https://www.seismosoc.org/publications/ai-guidelines/>
 130. University of South Australia. Define question - Systematic Reviews [Internet]. Adelaide: University of South Australia Library; [cited 2025 Jun 10]. Available from: <https://guides.library.unisa.edu.au/SystematicReviews/DefineTheQuestion>
 131. Coventry University. Developing your question - Systematic Reviews [Internet]. Coventry: Coventry University Library; [cited 2025 Jun 10]. Available from: <https://libguides.coventry.ac.uk/systematicreviews/question>
 132. Imperial College London. 6. Search Strategy Design - Systematic Review Guide [Internet]. London: Imperial College London Library; [cited 2025 Jun 10]. Available from: https://library-guides.imperial.ac.uk/systematic-review/strategy_design
 133. Adelphi University. Systematic Reviews/Evidence Synthesis: Search Strategies [Internet]. Garden City, NY: Adelphi University Library; [cited 2025 Jun 10]. Available from: https://libguides.adelphi.edu/Systematic_Reviews/search_strategies
 134. National University of Singapore. SOFTWARE & TOOLS - Systematic Reviews [Internet]. Singapore: National University of Singapore Libraries; [cited 2025 Jun 10]. Available from: <https://libguides.nus.edu.sg/sysreviews/software>
 135. Lancaster University. Systematic Reviews: Software and Tools [Internet]. Lancaster: Lancaster University Library; [cited 2025 Jun 10]. Available from: <https://lancaster.libguides.com/SystematicReviews/tools>
 136. Barker J, Kane R. What is critical appraisal?. *Evid Based Pract Nurs Healthc Prof*. 2016:83.
 137. Distiller SR. Choosing the Best Systematic Review Critical Appraisal Tool [Internet]. Ottawa, ON: Evidence Partners Inc.; [cited 2025 Jun 10]. Available from: <https://www.distillersr.com/resources/systematic-literature-reviews/choosing-the-best-systematic-review-critical-appraisal-tool>
 138. Al-Jundi A, Sakka S. Critical appraisal of clinical research. *J Clin Diagn Res*. 2017;11(5):JE01-JE05.
 139. Distiller SR. Understanding the Synthesis of Results in a Systematic Review [Internet]. Ottawa, ON: Evidence Partners Inc.; [cited 2025 Jun 10]. Available from: <https://www.distillersr.com/resources/systematic-literature-reviews/understanding-the-synthesis-of-results-in-a-systematic-review>
 140. Al-Oraibi A, Abutaleb A. Metasynthesis Of Qualitative Research [Internet]. ResearchGate; 2024 [cited 2025 Jun 10]. Available from: https://www.researchgate.net/publication/381407781_Metasynthesis_Of_Qualitative_Research
 141. Modesto Junior College. Evidence-Based Practice: Defining Evidence [Internet]. Modesto, CA: Modesto Junior College Library; [cited 2025 Jun 10]. Available from: <https://libguides.mjc.edu/c.php?g=255637&p=1706435>
 142. Charles Sturt University. Evidence-Based Practice: Levels of Evidence [Internet]. Wagga Wagga, NSW: Charles Sturt University Library; [cited 2025 Jun 10]. Available from: <https://libguides.csu.edu.au/ebp/levels>
 143. CIAP Clinical Information Access Portal. Defining primary and secondary forms of evidence [Internet]. Sydney, NSW: NSW Health; [cited 2025 Jun 10]. Available from: <https://www.ciap.health.nsw.gov.au/training/ebp-learning-modules/module1/defining-primary-and-secondary-forms-of-evidence.html>
 144. Saginaw Valley State University. Scientific Writing: The IMRaD Results and Discussion [Internet]. University Center, MI: Saginaw Valley State University; [cited 2025 Jun 10]. Available from: <https://www.svsu.edu/media/writingcenter/IMRAD%20results%20and%20discussions.pdf>
 145. Utah Valley University. Scientific Writing: IMRaD [Internet]. Orem, UT: Utah Valley University Writing Center; [cited 2025 Jun 10]. Available from: <https://www.uvu.edu/writingcenter/docs/scientificwriting.pdf>
 146. University of North Carolina at Chapel Hill. Academic Integrity and Ethics [Internet]. Chapel Hill, NC: The Graduate School, University of North Carolina at Chapel Hill; [cited 2025 Jun 10]. Available from: <https://gradschool.unc.edu/academics/resources/ethics.html>
 147. National Library of Technology. Academic Integrity [Internet]. Prague: National Library of Technology; [cited 2025 Jun 10]. Available from: <https://moodle.techlib.cz/mod/resource/view.php?id=3652>
 148. Blog.bjbms.org. Academic Misconduct in Research: Fabrication/Falsification/Plagiarism/Paper Mills [Internet]. Basel: Blog.bjbms.org; [cited 2025 Jun 10]. Available from: <https://blog.bjbms.org/academic-misconduct-in-research-fabrication-falsification-plagiarism-paper-mills/>